





WE SAFELY HANDLE AND STORE YOUR PRODUCTS

COMI is a trusted partner for industries and companies that aim to easily, quickly and safely transport, store and organise materials, finished products and production waste.

The company was founded in 2022, inspired by the desire to cater to a rapidly expanding market, offering products that could easily be customised to client needs.

COMI, an apparently new company, is in fact a direct descendant of Fami, from which it draws much of its expertise. This translates into research and development processes aimed at the continuous study of innovative materials and products as well as production methods leading to increasingly functional and long-lasting storage solutions.

The broad range of storage solutions is highly diversified and divided into several families. On the one hand, we find traditional metal and wire mesh containers, tippable buckets and spill pallets, and on the other, pallets with and without free uprights for material handling, in addition to cabinets for the safe storage of hazardous or polluting substances.

The quality of the products is the direct result of the encounter between high-quality raw materials and industrialised, automated and cutting-edge production methods. The aim is to create resilient and durable containers that guarantee a high storage capacity, which are also tools that help protect people and the environment.

PRODUCT CUSTOMISATION AND FLEXIBILITY THANKS TO AUTOMATION



QUALITY CONTROL

Product quality underpins the entire COMI production process. From the choice of metal for a certain product, to the careful inspection of both the raw material and finished product, every single item must satisfy specific requirements in accordance with the ISO 9001 standard. In addition to quality control, every single COMI product undergoes destructive testing to ensure the production of safe, resistant, long-lasting containers, buckets and spill pallets.



CUSTOM DESIGN

For COMI, every single project is unique, just like client needs and requirements. COMI offers a personalised consulting and planning service with the aim of being identified as a reliable, expert partner capable of providing solutions that make everyday work simpler, faster, and more efficient. Consultants and technicians are constantly up to date thanks to ongoing training, allowing them to propose ever-more technological storage solutions and cutting-edge production techniques.

PRODUCTION

The COMI production process is designed and implemented around the principle of automation to guarantee higher production, quality and precision of the various processes. A high degree of flexibility is thus achieved, allowing the production of both standard products and custom solutions according to client requirements.



INDUSTRIALISED PROCESSES

The automated production process allows a single sheet of metal to be transformed into a high-quality finished product. Use of state-of-the-art technology such as lasers, bending, folding, profiles and robotic welding cells optimises and speeds up production, while at the same time enabling the offer of standardised products, but also custom items in any shape or size, samples and small batches. COMI's flexible production processes and custom solutions are also possible thanks to a team of highly skilled and specialised operators and an in-house machine shop, where various welding equipment and jigs are developed ad hoc for each project.



PAINTING

Painting is an essential step in COMI production since it improves the overall look of the product, but most importantly, protects the metal surface to prevent corrosion and the formation of rust. All semi-finished products undergo an initial phosphodegreasing treatment to clean and improve the adhesion of the paint to the metal, with degreasing and subsequent phosphating before being effectively painted using either dip or powder coating systems.

CERTIFICATIONS

Certifications, workplace safety, environmental and social responsibility are highly topical and important issues for the quality of life today and in the future. At a global level, governments are promoting projects and programs to improve the environmental situation. Through its corporate policy, Comi is committed to implementing actions and practices that, albeit modestly, can influence the impact of production activity on the surrounding area and the environment.



ISO 14001 identifies a technical standard of the International Organisation for Standardisation (ISO) on environmental management systems (EMS) that establishes the requirements for an environmental management system of any organisation.



Management systems for health and safety at work.



The standard defines the extended quality requirements for fusion welding of metal materials both in the workshop and on the construction site.



IT IS an internationally recognised standard for creating, implementing and managing a Quality Management System for any company. It is designed to be used by organisations of any size or sector, as well as by any company.

TRADE FAIRS





COLOURS



6018



2004



5010



5012



6011



7000

ON REQUEST

TARE LABEL

TARE

63.3 kg

01/08/22

PAINTED INSCRIPTION
for following products:

- metal containers
- open-fronted containers
- wire mesh containers
- pallets with and without free uprights
- bottom-opening




STAMPED INSCRIPTION
for following products:

- metal containers
- open-fronted containers
- wire mesh containers



CONTENTS


10. METAL CONTAINERS



20. OPEN-FRONTED CONTAINERS



22. WIRE MESH CONTAINERS



28. COLLAPSIBLE CONTAINERS



32. PALLETS WITH & WITHOUT FREE UPRIGHTS



36. METAL STORAGE BOXES



40. TIPPABLE BUCKETS



46. TIPPABLE BUCKETS FOR ROTARY FORKS



48. BOTTOM-OPENING CONTAINERS



54. ADJUSTABLE BIG BAG RACK



58. SPILL CONTAINMENT FLOORING



60. SPILL PALLETS AND TRAYS




78. DRUM RACKS




80. POLYETHYLENE SPILL PALLETS




96. SHELVING



102. STORAGE CABINETS



110. CYLINDER RACK



114. INDUSTRIAL ABSORBENT PADS



138. ANTI-FATIGUE MATS



144. ADHESIVE SAFETY SIGNAGE



146. PROJECTED SIGNAGE



148. DEPOTS FOR OUTDOOR USE



METAL CONTAINERS


The metal containers are made of solid, machined and shaped sheet metal, making the box structure stable, sturdy, and resistant to various loads. This type of container can have either four smooth walls or else a front hatch in smooth metal or wire mesh, to facilitate the picking and deposit of materials. The bottom part can have either boxed or sled feet, allowing not only safe stacking of the containers but also safe handling whether empty or full, using pallet jacks or forklifts.



LOAD CAPACITY
FROM 400 TO
2000 KG




FORKABLE




STACKABLE





CONTAINERS FOR LIGHT LOADS


| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 004904 | 655 | 335 | 230 | 95 | 40 | 6018 | 400 |
| 005109 | 800 | 460 | 400 | 150 | 65 | 6018 | 800 |



CONTAINERS FOR LIGHT LOADS


| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 002061 | 800 | 500 | 500 | 130 | 65 | 6018 | 600 |
| 002757 | 800 | 600 | 400 | 130 | 65 | 6018 | 600 |
| 004089 | 800 | 600 | 500 | 130 | 65 | 6018 | 600 |

METAL CONTAINERS




CONTAINERS FOR LIGHT LOADS WITH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 005161 | 800 | 500 | 500 | 130 | 65 | 6018 | 600 |



CONTAINERS FOR LIGHT LOADS WITH WIRE MESH HATCH


| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 005222 | 800 | 500 | 500 | 130 | 65 | 6018 | 600 |



REINFORCED CONTAINERS FOR LIGHT LOADS

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|----------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 003754 | 800 | 500 | 500 | 130 | 65 | 6018 | 800 |
| 000159* | 800 | 500 | 500 | 130 | 65 | 6018 | 700 |
| 008339* | 800 | 600 | 400 | 130 | 65 | 6018 | 700 |
| 002870 | 800 | 600 | 400 | 130 | 65 | 6018 | 800 |
| 001880* | 800 | 600 | 500 | 130 | 65 | 6018 | 700 |
| 003273 | 800 | 600 | 500 | 130 | 65 | 6018 | 800 |
| 008391* | 700 | 650 | 450 | 130 | 65 | 6018 | 700 |

*sled feet on short side





REINFORCED CONTAINERS FOR LIGHT LOADS WITH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|----------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 009725 | 800 | 500 | 500 | 130 | 65 | 6018 | 800 |
| 002689* | 800 | 500 | 500 | 130 | 65 | 6018 | 700 |



*sled feet on short side

METAL CONTAINERS




REINFORCED CONTAINERS FOR LIGHT LOADS WITH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 008469 | 1000 | 800 | 500 | 130 | 65 | 6018 | 800 |
| 008520 | 1000 | 800 | 650 | 130 | 65 | 6018 | 800 |
| 008582 | 1200 | 800 | 650 | 130 | 65 | 6018 | 800 |



REINFORCED CONTAINERS FOR LIGHT LOADS WITH WIRE MESH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 008858 | 1000 | 800 | 500 | 130 | 65 | 6018 | 800 |
| 008919 | 1000 | 800 | 650 | 130 | 65 | 6018 | 800 |
| 000760 | 1200 | 800 | 650 | 130 | 65 | 6018 | 800 |




REINFORCED CONTAINERS FOR LIGHT LOADS

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 004980 | 1000 | 800 | 400 | 130 | 65 | 6018 | 800 |
| 008971 | 1000 | 800 | 500 | 130 | 65 | 6018 | 800 |
| 003136 | 1000 | 800 | 650 | 130 | 65 | 6018 | 800 |
| 002122 | 1200 | 800 | 650 | 130 | 65 | 6018 | 800 |




METAL CONTAINERS




CONTAINERS FOR MEDIUM LOADS

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|------|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 009169 | 1000 | 800 | 400 | 130 | 65 | 6018 | 1000 |
| 002566 | 1000 | 800 | 500 | 130 | 65 | 6018 | 1000 |
| 000883 | 1000 | 800 | 650 | 130 | 65 | 6018 | 1000 |
| 000944 | 1200 | 800 | 650 | 130 | 65 | 6018 | 1000 |
| 003198 | 1200 | 1000 | 650 | 130 | 65 | 6018 | 1000 |




CONTAINERS FOR MEDIUM LOADS WITH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 009237 | 1000 | 800 | 500 | 130 | 65 | 6018 | 1000 |
| 007929 | 1000 | 800 | 650 | 130 | 65 | 6018 | 1000 |
| 004775 | 1200 | 800 | 650 | 130 | 65 | 6018 | 1000 |



CONTAINERS FOR MEDIUM LOADS WITH WIRE MESH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 009299 | 1000 | 800 | 500 | 130 | 65 | 6018 | 1000 |
| 008193 | 1000 | 800 | 650 | 130 | 65 | 6018 | 1000 |
| 009350 | 1200 | 800 | 650 | 130 | 65 | 6018 | 1000 |



FRAME WITH WHEELS


| ART. | dimensions mm | | | RAL | load capacity kg |
|--------|---------------|------|-----|------|------------------|
| | A | B | C | | |
| 012541 | 830 | 530 | 260 | 6018 | 800 |
| 012602 | 830 | 630 | 260 | 6018 | 800 |
| 009886 | 1030 | 830 | 260 | 6018 | 800 |
| 009947 | 1230 | 830 | 260 | 6018 | 800 |
| 012664 | 1230 | 1030 | 260 | 6018 | 800 |

HANDLE FOR FRAME

| ART. | RAL |
|--------|------|
| 007769 | 7016 |




METAL CONTAINERS




CONTAINERS FOR HEAVY LOADS

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|-----|------|------------------|
| | A | B | C | D | E | | |
| 001347 | 1000 | 800 | 400 | 150 | 100 | 6018 | 1500 |
| 008643 | 1000 | 800 | 400 | 150 | 100 | 6018 | 2000 |
| 001705 | 1200 | 800 | 400 | 150 | 100 | 6018 | 1500 |
| 005574 | 1200 | 800 | 400 | 150 | 100 | 6018 | 2000 |



CONTAINERS FOR HEAVY LOADS

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|-----|------|------------------|
| | A | B | C | D | E | | |
| 000821 | 1000 | 800 | 520 | 150 | 100 | 6018 | 1500 |
| 001583 | 1000 | 800 | 520 | 150 | 100 | 6018 | 2000 |
| 001828 | 1000 | 800 | 650 | 150 | 100 | 6018 | 1500 |
| 001521 | 1000 | 800 | 650 | 150 | 100 | 6018 | 2000 |
| 000210 | 1200 | 800 | 520 | 150 | 100 | 6018 | 1500 |
| 001002 | 1200 | 800 | 650 | 150 | 100 | 6018 | 1500 |
| 002504 | 1200 | 800 | 650 | 150 | 100 | 6018 | 2000 |
| 000272 | 1500 | 800 | 650 | 150 | 100 | 6018 | 1500 |
| 004515 | 1500 | 800 | 650 | 150 | 100 | 6018 | 2000 |



CONTAINERS FOR HEAVY LOADS WITH HATCH

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------|---------------|-----|-----|-----|-----|------|------------------|
| | A | B | C | D | E | | |
| 009541 | 1000 | 800 | 520 | 150 | 100 | 6018 | 1500 |
| 009602 | 1200 | 800 | 520 | 150 | 100 | 6018 | 1500 |
| 003334 | 1000 | 800 | 650 | 150 | 100 | 6018 | 1500 |
| 009664* | 1000 | 800 | 650 | 150 | 100 | 6018 | 1500 |
| 000340 | 1200 | 800 | 650 | 150 | 100 | 6018 | 1500 |

*hatch on short side



SEPARATOR
ART. 00401

ACCESSORIES



HUNG A4 SIGN HOLDER
GALVANISED FINISH
ART. 003211



HUNG A5 SIGN HOLDER
GALVANISED FINISH
ART. 004386

METAL OPEN-FRONTED CONTAINERS

Metal open-fronted containers are ideal for the orderly and organised storage of work materials, waste and finished products. The bottom and three side walls are shaped with ribbing to strengthen the structure, while the fourth wall features a slanted opening for the rapid and simple passage of material, even with the containers stacked one on top of the other. The base can have boxed or sled feet.



LOAD CAPACITY
FROM 500 TO
1000 KG




FORKABLE



STACKABLE




OPEN-FRONTED CONTAINERS




OPEN-FRONTED CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 001408 | 800 | 500 | 500 | 100 | 40 | 6018 | 1000 |



OPEN-FRONTED CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 002627 | 800 | 600 | 400 | 130 | 65 | 6018 | 600 |



OPEN-FRONTED CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 009787 | 630 | 450 | 230 | 100 | 40 | 6018 | 500 |

SEPARATOR
ART. 007745



ACCESSORIES SEE PAGE 19



WIRE MESH CONTAINERS

Wire mesh containers are characterised by a solid supporting structure in sheet metal, and feature a ribbed bottom and wire mesh walls to make it easier to identify the stored material. They are available with openable hatch on the long side and can be fitted with boxed or sled feet. They are ideal for storing medium-heavy materials such as semi-finished or finished products, are easy to handle with pallet jacks or forklifts, and can be stacked to optimise warehouse space.



LOAD CAPACITY
FROM 500 TO
1500 KG




FORKABLE




STACKABLE





CONTAINERS FOR LIGHT LOADS WITHOUT HATCH




| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 010035 | 800 | 500 | 500 | 130 | 65 | 40x40x4 | 6018 | 500 |
| 010097 | 800 | 600 | 400 | 130 | 65 | 40x40x4 | 6018 | 500 |
| 010158 | 800 | 600 | 500 | 130 | 65 | 40x40x4 | 6018 | 500 |



CONTAINERS FOR LIGHT LOADS WITH HATCH




| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 002320 | 800 | 500 | 500 | 130 | 65 | 40x40x4 | 6018 | 500 |
| 009039 | 800 | 600 | 500 | 130 | 65 | 40x40x4 | 6018 | 500 |

WIRE MESH CONTAINERS




REINFORCED CONTAINERS WITHOUT HATCH

| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|--------|---------------|------|-----|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 002382 | 1000 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 002443 | 1200 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010219 | 1000 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010271 | 1200 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010332 | 1200 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |




REINFORCED CONTAINERS WITH HATCH

| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|--------|---------------|------|------|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 010394 | 1000 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 004836 | 1200 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010455 | 1000 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 004638 | 1200 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010844 | 1200 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 008797 | 1200 | 1000 | 800 | 130 | 65 | 40x40x4 | 6018 | 800 |
| 010905 | 1200 | 1000 | 1000 | 130 | 65 | 40x40x4 | 6018 | 800 |



CONTAINERS FOR MEDIUM LOADS


| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|--------|---------------|------|-----|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 001125 | 1000 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 001767 | 1200 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 004577 | 1200 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 005895 | 1500 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 011209 | 1500 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |



CONTAINERS FOR MEDIUM LOADS WITH HATCH


| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|--------|---------------|------|------|-----|----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 001460 | 1000 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 001644 | 1200 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 010967 | 1200 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 011261 | 1500 | 800 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 012244 | 1500 | 1000 | 650 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 011025 | 1000 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 008124 | 1200 | 800 | 800 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 011087 | 1200 | 1000 | 800 | 130 | 65 | 40x40x4 | 6018 | 1000 |
| 005833 | 1200 | 1000 | 1000 | 130 | 65 | 40x40x4 | 6018 | 1000 |

WIRE MESH CONTAINERS





CONTAINERS FOR HEAVY LOADS

| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|---------------|---------------|------|-----|-----|-----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 004317 | 1000 | 800 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |
| 003891 | 1200 | 800 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |
| 011148 | 1200 | 1000 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |
| 012305 | 1500 | 800 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |



CONTAINERS FOR HEAVY LOADS WITH HATCH

| ART. | dimensions mm | | | | | wire mesh mm | RAL | load capacity kg |
|---------------|---------------|------|-----|-----|-----|--------------|------|------------------|
| | A | B | C | D | E | | | |
| 004379 | 1000 | 800 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |
| 001064 | 1200 | 800 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |
| 010783 | 1200 | 1000 | 650 | 150 | 100 | 40x40x4 | 6018 | 1500 |



FRAME WITH WHEELS

| ART. | dimensions mm | | | RAL | load capacity kg |
|--------|---------------|------|-----|------|------------------|
| | A | B | C | | |
| 012541 | 830 | 530 | 260 | 6018 | 800 |
| 012602 | 830 | 630 | 260 | 6018 | 800 |
| 009886 | 1030 | 830 | 260 | 6018 | 800 |
| 009947 | 1230 | 830 | 260 | 6018 | 800 |
| 012664 | 1230 | 1030 | 260 | 6018 | 800 |

HANDLE FOR FRAME

| ART. | RAL |
|--------|------|
| 007769 | 7016 |



SEPARATOR
ART. 00401

ACCESSORIES



HUNG A4 SIGN HOLDER
GALVANISED FINISH
ART. 003211



HUNG A5 SIGN HOLDER
GALVANISED FINISH
ART. 004386

COLLAPSIBLE CONTAINERS

Collapsible containers are ideal for storing and transporting goods, ensuring maximum practicality and space optimisation thanks to their minimal size both when open and closed. Equipped with a mesh structure for an immediate view of the contents, each container has a door on the long side that allows you to access and remove goods easily and to speed up and make picking operations increasingly efficient. Furthermore, it can also be moved: the slots in the lower part are made specifically for inserting the forks of pallet trucks and forklifts.



1500 KG LOAD
CAPACITY




FORKABLE




STACKABLE





COLLAPSIBLE SHEET METAL CONTAINER


| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014958 | 1000 | 800 | 600 | 100 | 40 | 6018 | 1500 |



COLLAPSIBLE MESH CONTAINER


| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014965 | 1000 | 800 | 600 | 100 | 40 | 6018 | 1500 |

COLLAPSIBLE CONTAINERS



COLLAPSIBLE SHEET METAL CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014934 | 1200 | 800 | 600 | 100 | 40 | 6018 | 1500 |




COLLAPSIBLE MESH CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|---------------|---------------|-----|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014941 | 1200 | 800 | 600 | 100 | 40 | 6018 | 1500 |


Once collapsed, the container takes up a third of its height when open, thus allowing space optimisation during all the phases of storage and transport.





COLLAPSIBLE SHEET METAL CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|------|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014972 | 1200 | 1000 | 600 | 100 | 40 | 6018 | 1500 |



COLLAPSIBLE MESH CONTAINER

| ART. | dimensions mm | | | | | RAL | load capacity kg |
|--------|---------------|------|-----|-----|----|------|------------------|
| | A | B | C | D | E | | |
| 014989 | 1200 | 1000 | 600 | 100 | 40 | 6018 | 1500 |

